



T: (08) 8523 5166  
 F: (08) 8523 5068  
 E: lab@prowine.com.au

# PROWINE BOTTLING AUTHORISATION

Please read and sign this form and **return to the Prowine Laboratory** by fax or email  
 No bottling will commence until authority has been given by the customer

Name:		Phone:		Fax:	
Product:				Job No.:	
Tank:		Volume booked:			

Analysis	Pre-Delivery Analysis	Customer Specs	Pre Cross flow filtration	Pre-Bottling Analysis					Post Bottling Analysis	
									Post bottling	Last Bottle
Date:										
Tank:										
FSO <sub>2</sub> (mg/l)										-
TSO <sub>2</sub> (mg/l)										-
TA (g/l)			-							-
pH			-							-
Alcohol (%v/v)										
Turbidity (ntu)										-
CO <sub>2</sub> (g/l)										
VA (g/l)			-							-
SG			-							-
Density			-							-
G+F (g/l)			-							-
Malic Acid (g/l)			-							-
Heat stab			-							-
Cold stab			-							-
DO (mg/l)										
Temp.										-
Micro status										

**UNCONTROLLED COPY**  
 This version is correct as the time of release.  
 Please ensure it is a current and correct copy  
 against Prowine Controlled copies.

<b>Additions/adjustments:</b>		
<b>Cross flow filtration required:</b> yes / no	<b>Bottling Filtration:</b> <small>Refer to lab for bottling filtration guide</small>	<b>Cross check to specs:</b> <small>(Lab to sign off)</small>
<b>Customer Signature:</b>	<b>Prowine Signature:</b>	
<b>Date:</b>	<b>Date:</b>	